




Universal Industries[®]
 Universal Industries, Inc.

900 SERIES
DAKOSA[®]
CONTINUOUS
CUP ELEVATOR

*up to 1,215 ft³/h
 (34.4 m³/h)
 975 BPH*



SPECIFICATIONS

Model	912	918	924
Capacity - Free Flowing Material @ 75% Waterline Bucket Fill	500 BPH 625 ft ³ /hr 17.7 m ³ /hr	740 BPH 920 ft ³ /hr 26.0 m ³ /hr	975 BPH 1215 ft ³ /hr 34.4 m ³ /hr
Short TPH @ 50 lbs/Ft. ³	15.6	23	30.4
MTPH @ 50 lbs/Ft. ³	14.2	20.9	27.6
Short TPH @ 75 lbs/Ft. ³	23.4	34.5	45.6
MTPH @ 75 lbs/Ft. ³	21.3	31.3	41.3
Buckets (Standard or Divided)	9" X 12" (228.6mm X 340.8mm)	9" X 18" (228.6mm X 457mm)	9" X 24" (228.6mm X 609.6mm)
Chain Speed FPM	70		
Head Shaft RPM	18.66		
Chain	C 2062 Nickel Plated - Self Lubing		
Construction	Carbon Steel Tubular Frame (Stainless Steel Optional)		
Configuration Options	Available in C, Z, Double Z, Flat, or Incline Configurations		
Drive Package	Optional Right Angle Helical Bevel - High Efficiency Drive Available		
Motor	Nema Frame C-Face Inverter Ready		
*PRODUCT DELIVERY RATE MUST BE UNIFORM AND FED EVENLY ACROSS THE WIDTH OF THE BUCKETS			



www.universalindustries.com